

ENGINE		2.7L-4CYL	4.0L-V6
Type, Material	s	2.7-liter inline 4-cylinder, DOHC 16-valve cast iron block with aluminum alloy head with VVT-i	4.0-liter DOHC EFI V6, 24-valve aluminum block with aluminum alloy head with VVT-i
Displacement		2,694 cc	3,956 cc
Bore x Stroke		3.74 x 3.74 in.	3.70 x 3.74 in.
Compression I	Ratio	9.6:1	10.0:1
Horsepower		159 hp @ 5,200 rpm	236 hp @ 5,200 rpm
Torque		180 lb-ft @ 3,800 rpm	266 lb-ft @ 4,000 rpm
Ignition Syster	n	DIS (Direct)	DIS (Direct)
Fuel System		EFI	EFI
Recommende	d Fuel	87 or higher	87 or higher
Emission Certi	fication	LEV II	LEV II
Cab Models			
4x2	Regular Cab	Standard	N/A
	Access Cab	Standard	N/A
	X-Runner	N/A	Standard
PreRunner	Regular Cab	N/A	N/A
	Access Cab	Standard	Available
	Double Cab	Standard	Available
4x4	Regular Cab	Standard	N/A
	Access Cab	Standard	Available
	Double Cab	N/A	Standard
EPA Estimated (city/highway I	d Fuel Economy*	21/25 (5-speed manual) 18/20 (5-speed manual 4x4)	16/21 (6-speed manual 4x2/PreRunner)
(3,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,	19/24 (4-speed automatic)	15/19 (6-speed manual 4x4)
		18/21 (4-speed automatic 4x4)	17/21 (5-speed automatic)
		1.5.= 1 (1. 5poss asisa.io in 1)	16/21 (5-speed automatic 4x4)

^{*2013} EPA MPG Estimates. Actual mileage will vary.



DRIVETRAIN					
Layout		4x2 front engine wit	h rear-wheel drive;		
		4x4 front engine wit	h part-time four-whee	el drive	
Transmission ⁻	Туре	2.7-liter 4-cylinder with 5-speed manual	2.7-liter 4-cylinder with 4-speed ECT automatic	4.0-liter V6 with 6-speed manual	4.0-liter V6 with 5-speed ECT automatic
Gear Ratios					
1 st		3.95	2.80	4.17	3.52
2 nd		2.06	1.53	2.19	2.04
3 rd		1.44	1.00	1.49	1.40
4 th		1.00	0.71	1.19	1.00
5 th		0.81		1.00	0.72
6 th				0.85	
Rev	verse	4.22	2.39	3.61	3.22
Differential Ra	tio				
4	x2	3.307	3.583	3.153	
Р	reRunner/4x4	4.100	4.100	3.727	3.727
Cab Models					
4x2	Regular Cab	Standard	Available		
	Access Cab	Standard	Available		
	X-Runner			Standard	
PreRunner	Regular Cab				
	Access Cab		Standard		Available
	Double Cab		Standard		Available
4x4	Regular Cab	Standard	Available		
	Access Cab	Standard	Available	Available	Available
_	Double Cab			Standard	Available
4x4 Transfer C	ase Ratio (high/	low)	1.00:1/2.57:1		



CHASSIS AN	D BODY									
Suspension	- Front		Coil spring independent double wishbone with gas-filled shock absorbers (4x2 – low mount; 4x4/PreRunner – high mount)							
	- Rear		Leaf spring rigid suspension							
	- Front Stabiliz	zer Bar	1.18 in.							
	Diameter		1.10 in.	(TRD Off-Road p	oackage only)					
	 Rear Stabiliz Diameter 	er Bar	0.98 (X-Runner only)							
Steering	- Type		Rack-a	nd-pinion power s	steering					
	- Overall Ratio)	17.4/17	.3 (4x2/PreRunne	er and 4x4)					
	- Turns (lock t	o lock)		ns (4x2) ns (PreRunner, a	and all 4x4)					
	- Turning Circ			Reg. Cab:		36.8/36	.0 ft.			
	Diameter (cur	b to curb)		and PreRunner	Access Cab:	42.0/40	.6 ft.			
			X-Runn			42.7 ft				
			Double	Cab and Double	Cab Long Bed:	40.6/44	.0 ft.			
Brakes	- Front - type/o	diameter	Ventilat	ed disc/10.83 in. /12.56 in.	(4x2) (PreRunner and	4x4)				
	- Front Swept	Area	56.75/6	1.81 sq. in.						
	(4x2/4x4)									
	- Rear - type/o		_	g-Trailing Drum /1	10.0 in.					
	- Rear Swept (4x2/4x4)	Area	65.51/6	1.81 sq. in.						
	- Parking		Pedal T	ype (Automatic)						
	. aniing			/pe (Manual)						
Anti-lock Brake System (ABS)			Electro	Control System winic Braking Distributed Auto LSD						
Wheel Size		15 in.		15 in.	18 in.		16 in.			
Wheel Type a	nd Material	Steel		Styled steel	Alloy		Styled steel			
Tire Size		P215/70R1	5	P215/70R15	P255/45R18		P245/75R16			
Туре		All-Season		All-Season	All-Season		Mud & Snow rated			



EXTERIOR	4x2	4x2	4x2		PreRunner	PreRunner	4x4	4x4	4x4
DIMENSIONS	Regular Cab	Access Cab	X-Runner		Access Cab	Double Cab	Regular Cab	Access Cab	Double Cab
Wheelbase /Long Bed	109.6 in.	127.4 in.	127.4 in.		127.4 in.	127.4/ 140.6 in.	109.6 in.	127.4 in.	127.4/ 140.6 in.
Overall Length /Long Bed	190.4 in.	208.1 in.	208.1 in.		208.1 in.	208.1/ 221.3 in.	190.4 in.	208.1 in.	208.1/ 221.3 in.
Overall Width	72.2in.	72.2 in.	74.0 in.		74.6 in.	74.6 in.	74.6 in.	74.6 in.	74.6 in.
Overall Height	65.7 in.	66.1 in.	65.6 in.		70.3 in.	70.1 in.	69.9 in.	70.3 in.	70.1 in.
Inside Bed Length /Long Bed	73.5 in.	73.5 in.	73.5 in.		73.5 in.	60.3/ 73.5 in.	73.5 in.	73.5 in.	60.3/ 73.5 in.
Inside Bed Depth	18.0 in.	18.0 in.	18.0 in.		18.0 in.	18.0 in.	18.0 in.	18.0 in.	18.0 in.
Inside Bed Width: At Tailgate At C-Channel Between Wheel wells	53.4 in. 56.7 in. 41.5 in.	53.4 in. 56.7 in. 41.5 in.	53.4 in. 56.7 in. 41.5 in.		53.4 in. 56.7 in. 41.5 in.	53.4 in. 56.7 in. 41.5 in.	53.4 in. 56.7 in. 41.5 in.	53.4 in. 56.7 in. 41.5 in.	53.4 in. 56.7 in. 41.5 in.
Tread Width (Front/Rear)	61.0/61.0 in.	61.0/61.0 in.	62.2/62.2 in.		63.0/63.4 in.	63.0/63.4 in.	63.0/63.4 in.	63.0/63.4 in.	63.0/63.4 in.
Ground Clearance (AT diff)	7.9 in.	7.9 in.	7.3 in.		9.1 in.	9.1 in.	9.1 in.	9.1 in.	9.1 in.
Coefficient of Drag	0.357	0.368	0.357 0.419 w/Off- Road Pkg		0.394 0.419 w/Off- Road Pkg	0.394 0.419 w/Off- Road Pkg	0.394 0.419 w/Off- Road Pkg	0.394 0.419 w/Off- Road Pkg	0.394 0.419 w/Off- Road Pkg
	4x2 Regular Cab	4x2 Access Cab (4 cyl)	4x2 Access Cab (V6)	4x2 X-Runner	4x2 Double Cab	4x4 Regular Cab	PreRunner / 4x4 Access Cab	PreRunner/ 4x4 Double Cab	PreRunner/ 4x4 Double Cab Long Bed
Approach	27	27	35	19	27	35	35	35	35
Departure	20	20	26	19	20	26	26	26	25
Breakover Angle (degrees)	21	20	21	15	20	27	27	21	20

INTERIOR DIMENSIONS	4x2 Regular Cab	4x2 Access Cab	4x2 X-Runner	PreRunner Access Cab	PreRunner Double Cab	4x4 Regular Cab	4x4 Access Cab	4x4 Double Cab
Seating Capacity	3	4	4	4	5	3	4	5
Headroom (in.) (Front/Rear)	40.0/NA	40.0/34.9	40.0/34.9	40.0/34.9	40.2/38.4	40.0/NA	40.0/34.9	40.2/38.4
Legroom (in.) (Front (Bucket Seat) /Rear)	41.7/NA	41.7/24.7	41.7/24.7	41.7/24.7	41.7/32.7	41.7/NA	41.7/24.7	41.7/32.7
Shoulder Room (in.) (Front/Rear)	58.1/NA	57.7/55.7	57.7/55.7	57.7/55.7	57.7/58.7	58.1/NA	57.7/55.7	57.7/58.7
Hip Room (in.) (Front/Rear)	53.6/NA	53.5/52.7	53.5/52.7	53.5/52.7	53.5/54.6	53.6/NA	53.5/52.7	53.5/54.6



AND F	4x2 Regular Cab	4x2 Access Cab	4x2 X-Runner	4x2Double Cab	PreRunner Access Cab	PreRunne Double Cab (shorl/lon bed)	Regular Cab	4x4 Acce Cab		Ax4 Double Cab (man short bed /auto short bed/ auto long bed)
Curb Weight (lbs.) (man/auto)										
	3,315/ 3,335	3,605/ 3,625		/3,705	/3,785	/3,865	3,700/ 3,755	4,00 4,02		
V6			3,835/	-	/3,865	/3,950		4,07 4,10		4,160/ 4,185/ 4,220
((t)	1,650/ 1,650	4,900	4,700	4,900	5,250	5,250 (4 cyl) / 5,400 (V6	5,100 (4 cyl)	5,35	0	5,500
		Regular	Cab	Access Cab	Access	Cab V6	Double Cab		Doub	le Cab V6
Payload (man/auto) 4x2 PreRunner 4x4 (man/auto) Long Bed (auto only) (PreRunner/4x4)		1,335/1,3 		1,295/1,275 lbs. /1,385 lbs. 1,275/1,250 lbs. 	 /1,535 1,425/1,- 		/1,195 lbs. /1,385 lbs. 		1,340	/1,450 lbs. /1,315 lbs. /1,280 lbs.
,		Regular		Access Cab/ X-Runner	Access	Cab V6	Double Cab		Doub	le Cab V6
Maximum Towing Weig W/ optional V6 Tow Pr Package	_	3,500 lbs		3,500 lbs. / 3,300 lbs. (X-Runner) 	3,500 lbs		3,400 lbs / 3,50 lbs. (PreRunne			lbs. lbs. (short) / lbs (long)
Maximum Tongue Wei	ight	350 lbs.	:	350 lbs.	350 lbs.		340 lbs / 350 ll	os.	350 lb	os.
W/ optional V6 Tow Pr Package	ер			 	650 lbs.					os. (short) / os. (long)
Gross Combined Weig	ht Rating									
4x2 PreRunner and 4x4/ w Prep Package	ith Tow	7,500 lbs 8,000 lbs		7,500 lbs. 8,000 lbs.	7,500 lbs 8,100/11	s. I,100 lbs.	7,500 lbs. 8,000 lbs.		 8,100	/11,100 lbs.
Fuel Capacity		21	.1 gal.							
Engine Oil					t. (2.7-liter 4- .2 (4.0-liter V	• ,	Runner and 4x4))		
Cooling System					.2 qt. (2.7-lite 10.3 qt. (4.0-					



EXTERIOR FEATURES	4x2 Regular	4x4 Regular	4x2 Access	PreRunner/4x4 Access	X-Runner Access	4X2 Double	PreRunner/ 4x4 Double
Fiber-reinforced Sheet-Molded							
Composite (SMC) inner bed with							
steel outer panels, storage	S	S	S	S	S	S	S
compartments, rail caps and							
removable tailgate							
Deck rail system with 4	S	S	S	S	S	S	S
adjustable tie-down cleats	3	3	3	5	3	3	3
115V/400-watt deck-mounted				А	S		А
Powerpoint				A	3		A
Dual rear-hinged access doors			S	S	S		
Black grille insert/ Argent							
surround, black door handles,	S	S	S	S		S	S
mirrors, front and rear bumpers							
Black overfenders		S		S		S	S
Front skid plate				A			А
Engine skid plate		S		S			S
Fog lamps			A	A	S	A	A
Power Outside Mirrors			A	A	S	S	S
				A	S		A
Color-keyed hood scoop				A	3		A
Color-keyed front bumper,			٨				
overfenders and chrome rear			Α	Α		А	А
bumper							
Front and rear mudguards		S		S			S
Rear mudguards only	S		S			S	
Color-keyed bumpers,							
overfenders, grille surround &				Α			Α
door handles							
Color-keyed bumpers,							
overfenders, grille insert /					S		
surround, door handles, power					Ü		
mirrors and body kit							
X-brace-tuned suspension with							
gas-filled Bilstein® shock					S		
absorbers and rear stabilizer bar							
2-Speed windshield wipers	S	S	S	S		S	S
Variable-speed windshield wipers			Α	Α	S	Α	Α
Sliding rear window	0	0					
Sliding rear window with privacy							
glass			Α	Α	S	Α	Α
2-Fixed cargo bed tie-down	S	S	S	S	S	S	S
points	-	-	-	-	-	-	-
15-in. styled steel wheels with	S		S			S	
P215/70R15 tires						_	
16-in. styled steel wheels with		S		S			S
P245/75R16 tires				Ŭ.			
16-in. alloy wheels with				0			0
P245/75R16 tires				<u> </u>			
16-in. alloy wheels with				А			А
P265/70R16 tires							А



Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

EXTERIOR FEATURES – CONT	4x2 Regular	4x4 Regular	4x2 Access	PreRunner/4x4 Access	X-Runner Access	4X2 Double	PreRunner/ 4x4 Double
17-in. alloy wheels with P265/65R17 tires				A (V6)			А
18-in. alloy wheels with 255/45R18 Bridgestone Potenza RE 050A tires					S		
18-in. chrome wheels with 255/45R18 Bridgestone Potenza RE 050A tires							A (V6)
Full-size spare tire	S	S	S	S	S	S	S

S = Standard equipment. O = Standalone option. A = Available via package. O&A = Standalone and via package. --- = Not available.

*Overfenders on SR5, TRD Sport, and TRD Off-Road Packages are color-keyed

INTERIOR FEATURES	4x2 Regular	4x4 Regular	4x2 Access	PreRunner/4x4 Access	X-Runner Access	4X2 Double	PreRunner/ 4x4 Double
Air conditioning	S	S	S	S	S	S	S
Cruise control			А	А	S	Α	А
Cloth-faced tilt-forward bench seat with adjustable headrests	S	S* /					
SofTex-trimmed heated front sport seat with 4-way adjustable driver's seat						A (V6)	A (V6)
Fabric-trimmed front bucket seats with passenger-side fold-flat seat, adjustable headrests and center console		/ S**	S	S		S	S
Driver's seat with adjustable lumbar support			Α	А		S	S
Sport seats with Sport fabric trim and driver's-seat adjustable lumbar support (passenger side fold flat feature delete)				А	S		А
Fold-up rear seats with under- seat storage			S	S	S		
60/40 split rear bench seat with adjustable headrests and underseat storage						S	S
Rear bulkhead storage						S	S
Overhead console with maplamps, sunglass holder			S	S	S	S	S
Full carpeting	S	S	S	S	S	S	S
Power windows and door locks			S	S	S	S	S
Remote keyless entry system			Α	А	S	А	А
Leather-wrapped steering wheel and shift lever			Α	А	S	А	А
LED-illuminated gauges with speedometer, tachometer, coolant temperature gauge, fuel gauge, digital clock and tripmeter	S	S	S	S	S	S	S



INTERIOR FEATURES – CONT	4x2 Regular	4x4 Regular	4x2 Access	PreRunner/4x4 Access	X-Runner Access	4X2 Double	PreRunner/ 4x4 Double
Tailgate-handle integrated backup camera linked with an auto-dimming mirror with monitor			А	А	S	А	А
Tilt/telescopic steering wheel	S	S	S	S	S	S	S
Rear-seat heater vents						S	S
Dual 12V auxiliary power outlets (one, plus cigarette lighter)	S	S	S	S	S	S	S
Sun visors with passenger-side vanity mirror	S	S	S	S		S	S
Fabric-trimmed sun visors with sliding extensions and vanity mirror			А	А	S	А	А
Sculpted door trim with two bottle holders	S	S	S	S	S	S	S
Three front cup holders (Two front cup holders on bench seat models)	S	S	S	S	S	S	S
Dual rear cup holders		/ S**	S	S	S	S	S

S = Standard equipment. O = Standalone option. A = Available via package. O&A = Standalone and via package. --- = Not available. S* = Standard in 5-speed manual only. S** = Standard in 4-Speed automatic only.

AUDIO SYSTEM		Regular	4x2 Access	PreRunner/4x4 Access	X-Runner Access	4X2 Double	PreRunner/ 4x4 Double
Display Audio — includes 6.1-in. touch-screen, AM/FM CD player with MP3/WMA playback capability, 6 speakers (4 on Regular cab), subwoofer on X-Runner, auxiliary audio jack, USB port with iPod® connectivity and control, and hands-free phone capability, phone book access and music streaming via Bluetooth® wireless technology	S	S	S	S	S	S	S



Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

AUDIO SYSTEM CONT.	Regular	4x2 Access	PreRunner/4x4 Access	X-Runner Access	4X2 Double	PreRunner/ 4x4 Double
Display Audio with Navigation,* Entune™[entune] and JBL® – includes 6.1-in. touch-screen with integrated backup camera display,* AM/FM CD player with MP3/WMA playback capability, seven JBL® speakers including subwoofer, SiriusXM Satellite Radio* (includes 90-day trial subscription to XM Select Package), HD Radio™* with iTunes® Tagging,* auxiliary audio jack, USB* port with iPod®* connectivity and control, vehicle information, hands-free phone capability, phone book access, advanced voice recognition, text to voice* with programmed and customizable text responses, and music streaming via Bluetooth® [bluetooth] wireless technology (V6 only)	 				A (v6)	A (v6)

S = Standard equipment. O = Standalone option. A = Available via package. O&A = Standalone and via package. --- = Not available. ² Requires SR5, TRD Off-Road or TRD Sport Package

STANDARD MECHANICAL FEATURES

- Coil Spring Double Wishbone Suspension
- Rear leaf spring suspension with staggered outboard-mounted gas shock absorbers
- Automatic Limited Slip Differential (Auto LSD)
- Variable Assist Power Rack & Pinion Steering
- Gated automatic transmission shifter (automatic transmission only)
- Clutch-start cancel (4x4 manual transmission only)

STANDARD SAFETY AND SECURITY

- Star Safety System includes Vehicle Stability Control (VSC), Traction Control (TRAC), Anti-lock Brake System (ABS) with Electronic Brake-force Distribution (EBD), & Brake Assist
- Driver and front passenger Advanced Airbag System
- Driver and front passenger seat-mounted side airbags, front and rear side curtain airbags
- Driver and front passenger active headrests
- Driver and front passenger seatbelts with pretensioner, force limiters and adjustable shoulder anchors
- 3-point seatbelts for all seating positions; Driver-side Emergency Locking Retractor (ELR) and Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger belts
- Side-impact door beams in all doors



Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

STANDARD SAFETY AND SECURITY CONT.

- LATCH (Lower Anchors and Tethers for Children) includes lower anchors for front passenger seat on
- Regular Cab 4X4 Automatic, Access Cab and rear outboard seats on Double Cab and Access Cab
- LATCH (Lower Anchors and Tethers for Children) includes top tether anchor for passenger and center front seat on Regular Cab with bench seat, front passenger seat on Regular Cab 4X4 Automatic, Access Cab, and all rear seating positions on Double Cab and Access Cab
- Child protector rear door locks Double Cab models
- Tire Pressure Monitor System

PACKAGES	4x2 Regular	4x4 Regular	4x2 Access	PreRunner/4x4 Access	X-Runner Access	4X2 Double	PreRunner/ 4x4 Double
V6 Tow Package: Class 4 Hitch, Transmission and Supplemental Oil Coolers (Transmission Cooler not available on Manual Transmission models), 130A Alternator, Heavy Duty Battery, 7-Pin Connector w/Converter				A (V6)			A (V6)
Double Cab Convenience Package: Remote Keyless Entry System, Cruise Control, Sliding Rear Window with Privacy Glass, Steering Wheel Audio Controls						А	А



PACKAGES - CONT.	4x2 Regular	4x4 Regular	4x2 Access	PreRunner/4x4 Access	X-Runner Access	4X2 Double	PreRunner/ 4x4 Double
Access Cab Convenience Package: Power Mirrors, Remote Keyless Entry System, Cruise Control, Sliding Rear Window with Privacy Glass, Steering Wheel Audio Controls			А	А			
SR5 Package: Power Outside Mirrors (Access Cab models only), Remote Keyless Entry System, Cruise Control, Variable Speed Wipers, Chrome Grille Surround & Rear Bumper, Color-Keyed Front Bumper & Overfenders, Fog Lamps (V6 models only), Sliding Rear Window with Privacy Glass, Bucket Seats with Driver Lumbar Support, SR5 Fabric Trim, Metallic Tone Instrument Panel Trim, Leather-Wrapped Steering Wheel with Audio Controls & Leather-Wrapped Shifter (A/T models only), Dual Sunvisors with Mirrors & Extenders, Tailgate-handle integrated backup camera linked with an auto-dimming mirror with monitor, SR5 Badge			A	А		A	A



PACKAGES – CONT	4x2 Regular	4x4 Regular	4x2 Access	PreRunner/4x4 Access	X-Runner Access	4X2 Double	PreRunner/ 4x4 Double
TRD Off-Road Package: Off-road							
Tuned Suspension with Bilstein							
Shocks, Locking Rear Differential,							
16" Alloy Wheels with							
P265/70R16 BF Goodrich Tires,							
VSC+ATRAC in place of Standard							
VSC+TRAC (4X4 models only)							
with Hill Start Assist Control							
(HAC) and Downhill Assist							
Control (DAC) (HAC & DAC							
available on 4X4 Automatic							
Transmission models only),							
Engine Skid Plate, Front Tow							
Hook, 115V/400W Deck							
Powerpoint, Fog Lamps, Power							
Outside Mirrors (Acces Cab							
models only), Remote Keyless							
Entry System, Cruise Control,							
Variable Speed Wipers, Overhead							
Console with Compass &				A (V6)			A (V6)
Temperature Gauge, Chrome							
Grille Surround & Rear Bumper,							
Color-Keyed Front Bumper &							
Overfenders, Sliding Rear							
Window with Privacy Glass, Sport							
Seats with Driver Lumbar							
Support and Sport Fabric Trim in							
place of Standard Bucket Seats							
(passenger side fold flat feature							
delete), Metallic Tone Instrument							
Panel Trim, Leather-Wrapped							
Steering Wheel with Audio							
Controls & Leather-Wrapped							
Shifter (A/T models only), Dual							
Sunvisors with Mirrors &							
Extenders, Tailgate-handle							
integrated backup camera linked							
with an auto-dimming mirror with							
monitor, TRD Off-Road Graphics							



PACKAGES – CONT.	4x2 Regular	4x2 Access	PreRunner/4x4 Access	X-Runner Access	4X2 Double	PreRunner/ 4x4 Double
TRD Sport Package: Sport						
Suspension with Bilstein Shocks,						
17" Alloy Wheels with						
P265/65R17 Tires, Hood Scoop,						
Color-Keyed Grille Surround/						
Bumpers/Power Mirrors (Access						
Cab models only)/Door						
Handles/Overfenders, Sliding						
Rear Window with Privacy Glass,						
115V/400W Deck Powerpoint,						
Fog Lamps, Remote Keyless						
Entry, Cruise Control, Variable						
Speed Wipers, Overhead Console						
with Compass & Temperature		 	A (V6)			A (V6)
Gauge, Sport Seats with Driver			7.(10)			71(10)
Lumbar Support and Sport Fabric						
Trim in place of Standard Bucket						
Seats (passenger side fold flat						
feature delete), Metallic-Tone						
Instrument Panel Trim, Leather-						
Wrapped Steering Wheel with						
Audio Controls & Shifter (A/T						
models only), Dual Sunvisors						
with Mirrors & Extenders,						
Tailgate-handle integrated						
backup camera linked with an						
auto-dimming mirror with						
monitor, TRD Sport Graphics						



Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

PACKAGES – CONT.	4x2 Regular	4x2 Access	PreRunner/4x4 Access	X-Runner Access	4X2 Double	PreRunner/ 4x4 Double
Limited Package: SofTex- trimmed heated front sport seat with 4-way adjustable driver's seat, 18" Chrome clad alloy wheels w/ P265/60R18 Tires, Chrome Grille Surround & Rear Bumper, Color-Keyed Front Bumper & Overfenders, Chrome Fog Lamp Housing, Chrome Door handles, Chrome Power Outside Mirrors with Turn Signal Indicator, Fog Lamps, Variable Speed Wipers, Metallic Tone Instrument Panel Trim, Leather- Trimmed Steering Wheel w/ Audio Controls & Shifter, Dual Sunvisors w/ Mirrors & Extenders, Auto-Dimming Mirror w/ Monitor and Outside Temperature Gauge and HomeLink® Universal Transceiver, Limited Badge, Requires Convenience Package and Display audio with navigation, Entune and JBL®					A (V6)	A (V6)

S = Standard equipment. O = Standalone option. A = Available via package. O&A = Standalone and via package. --- = Not available. (V6) = Available on V6 only. (SB) = Short bed. (LB) = Long bed. (4X4) = Available on 4X4 only

AVAILABLE EXTERIOR COLORS	
- Magnetic Gray Metallic	
- Barcelona Red Metallic	
- Pyrite Mica	
- Spruce Mica	
- Super White	
- Black	
- Silver Streak Mica	
- Nautical Blue Metallic	

BASIC LIMITED WARRANTY COVERAGE

- 3-year/36,000-mile Comprehensive
- 5-year/60,000-mile Powertrain
- 5-year/unlimited-mileage Corrosion Perforation
- Toyota Care Complimentary maintenance plan with the purchase or lease of every new Toyota. For 2 years or 25,000 miles, whichever comes first, every new Toyota will be covered for all normal factory scheduled service, as well as 24/7 roadside assistance.