

| ENGINE | 4.0L-V6 | 4.6L-V8 | 5.7L-V8 ¹ | |
|---|--|--|---|--|
| Type, Materials | 4.0-liter DOHC EFI V6, aluminum block with 24-valve aluminum alloy head with VVT-i | 4.6-liter DOHC EFI V8, aluminum block with 32-valve aluminum alloy head with VVT-i | 5.7-liter DOHC EFI V8, aluminum block with 32- valve aluminum alloy head with Dual VVT-i | |
| Displacement | 3,956 cc | 4,608 cc | 5,663 cc | |
| Bore x Stroke | 3.70 x 3.74 in. | 3.70 x 3.30 in. | 3.70 x 4.02 in. | |
| Compression Ratio | 10.0:1 | 10.2:1 | 10.2:1 | |
| Horsepower | 270 hp @ 5,600 rpm | 310 hp @ 5,600 rpm | 381 hp @ 5,600 rpm | |
| Torque | 278 lb-ft @ 4,400 rpm | 327 lb-ft @ 3,400 rpm | 401 lb-ft @ 3,600 rpm | |
| Ignition System | DIS (Direct) | DIS (Direct) | DIS (Direct) | |
| Fuel System | EFI | EFI | EFI | |
| Recommended Fuel | 87-octane or higher | 87-octane or higher | 87-octane or higher (E85 capable) ¹ | |
| Emission Certification | LEV II | ULEV II | ULEV II (Tier 2 BIN 5 on E85) ¹ | |
| Grade Models | | | | |
| SR Regular Cab 4x2 | Standard | N/A | Available | |
| SR Double Cab 4x2 | Standard | Available | Available | |
| SR Regular Cab 4x4 | N/A | N/A | Standard | |
| SR Double Cab 4x4 | N/A | Standard | Available | |
| SR5 Double Cab 4x2 | N/A | Standard | Available | |
| SR5 Double Cab 4x4 | N/A | Standard | Available ¹ | |
| SR5 CrewMax 4x2 | N/A | Standard | Available | |
| SR5 CrewMax 4x4 | N/A | Standard | Available ¹ | |
| Limited CrewMax 4x2 | N/A | N/A | Standard | |
| Limited CrewMax 4x4 | N/A | N/A | Standard ¹ | |
| Platinum CrewMax 4x2 | N/A | N/A | Standard | |
| Platinum CrewMax 4x4 | N/A | N/A | Standard ¹ | |
| 1794 CrewMax 4x2 | N/A | N/A | Standard | |
| 1794 CrewMax 4x4 | N/A | N/A | Standard ¹ | |
| EPA Estimated Fuel Economy* (city/highway/combined MPG) | | | | |
| 4x2 | 16/20/17 | 15/19/16 | 13/18/15 | |
| 4x4 | | 14/18/16 | 13/17/15 | |

^{*2014} EPA MPG Estimates. Actual mileage will vary.



| DRIVETRAIN | 4.0L-V6 | 4.6L-V8 | 5.7L-V8 | | |
|----------------------------|-----------------------------|--|-----------------------------|--|--|
| Layout | | rear-wheel drive; 4x4 fror electronically controlled to | | | |
| Transmission Type | 5-speed automatic overdrive | 6-speed automatic overdrive | 6-speed automatic overdrive | | |
| Gear Ratios | | | | | |
| 1 st | 3.520 | 3.520 | 3.333 | | |
| 2 nd | 2.042 | 2.042 | 1.960 | | |
| 3 rd | 1.400 | 1.400 | 1.353 | | |
| 4 th | 1.000 | 1.000 | 1.000 | | |
| 5 th | 0.716 | 0.716 | 0.728 | | |
| 6 th | | | | | |
| - | | 0.586 | 0.588 | | |
| Reverse | 3.224 | 3.224 | 3.061 | | |
| Differential Ratio | 3.909 | 3.909 | 4.100 | | |
| | | | 4.300 (Tow Package) | | |
| Transfer Case (high/low) | | | | | |
| SR Regular Cab 4x4 (FFV) | | | 1.000/2.640 | | |
| SR Regular Cab 4x4 | | | 1.000/2.640 | | |
| SR Double Cab 4x4 (FFV) | | | 1.000/2.640 | | |
| SR Double Cab 4x4 | | 1.000/2.640 | | | |
| SR5 Double Cab 4x4 | | 1.000/2.640 | 1.000/2.640 | | |
| SR5 Double Cab 4x4 (FFV) | | | 1.000/2.640 | | |
| SR5 Double Cab 4x4 (FFV) | | | 1.000/2.640 | | |
| SR5 CrewMax 4x4 | | 1.000/2.640 | 1.000/2.640 | | |
| SR5 CrewMax 4x4 (FFV) | | | 1.000/2.640 | | |
| Limited CrewMax 4x4 (FFV) | | | 1.000/2.640 | | |
| Limited CrewMax (4x4) | | | 1.000/2.640 | | |
| Platinum CrewMax 4x4 (FFV) | | | 1.000/2.640 | | |
| Platinum CrewMax 4x4 | | | 1.000/2.640 | | |
| 1794 CrewMax 4x4 (FFV) | | | 1.000/2.640 | | |
| 1794 CrewMax 4x4 | | | 1.000/2.640 | | |



| CHASSIS AN | D BODY | | | | | | | |
|----------------------------|--|---|--|---|--|--------------|--|--|
| Suspension | - Front | | | | louble-wishbone front s re nitrogen gas shock | | | |
| | - Rear | | | xle with trapezoid multi ure nitrogen gas shock | i-leaf springs. Inboard- absorbers | mounted low- | | |
| | - Front Sta Bar Diam | | 1.42 ir | 1. | | | | |
| Steering | - Type | | rack-a | nd-pinion hydraulic po | wer steering with fluid | cooler | | |
| (4x2/4x4) | - Overall F | Ratio | 18.1/1 | 8.1 | | | | |
| | - Turns (lo | ock to | 3.71 t | rurns | | | | |
| | - Turning Circle Regular Cab Standard Bed /Regular Cab Long Bed: 39.2/44.0 ft. Diameter (curb to Double Cab Standard Bed/Double Cab Long Bed: 44.0/49.0 ft. CrewMax Short Bed: 44.0 ft | | | | | | | |
| Brakes | - Front - | | Ventila | ated disc/13.9 in. | | | | |
| type/diameter | - Front Sv - Rear - | vept Area | 74.1 sq. in. Ventilated disc/13.6 in. 56.9 sq. in. | | | | | |
| type/diameter | - Rear Sw - Parking | ept Area | Pedal | Туре | | | | |
| Anti-lock Brake | | BS) | Power-assisted four-wheel Anti-lock Brake System (ABS) with Electronic Brake force Distribution (EBD), Brake Assist (BA), TRAC (Traction Control), Vehicle Stability Control (VSC), Auto LSD. Active Traction Control (A-TRAC) on 4WD. | | | | | |
| Wheel Size | | | | | | | | |
| SR and SR5: | | 18 x 8 in. | | | | | | |
| Limited; Platin 1794: | um and | 20 x 8 in. | | | | | | |
| Wheel Type, Nand Tire Size | /laterial | SR/SR5: 18 in. Style Steel Whe P255/70R2 Michelin | el | 1794 Edition 20 in. Aluminum Clad P275/55R20 Bridgestone/Dunlop tires | | | | |



| EXTERIOR DIMENSIONS (inches) | 4x2 Regular Cab | 4x2 Double Cab | 4x2 CrewMax | 4x4 Regular Cab | 4x4 Double Cab | 4x4 CrewMax |
|--|----------------------------|---|--|-----------------------|---------------------------------|---|
| Wheelbase (Standard bed / Short bed)/ (Long Bed) | NA / NA / 145.7 | 145.7 / NA / 164.6 | NA / 145.7 / NA | NA / NA/ 145.7 | 145.7 / NA / 164.6 | NA / 145.7 / NA |
| Overall Length (Standard bed/Short bed)/(Long Bed) | NA / NA / 228.9 | 228.9 / NA/ 247.8 | NA / 228.9/ NA | NA / NA/ 228.9 | 228.9 / NA / 247.8 | NA/ 228.9 / NA |
| Overall Width | 79.9 | 79.9 | 79.9 | 79.9 | 79.9 | 79.9 |
| Overall Height | 75.8 | 76.0 | 75.8 | 76.2 | 76.4 | 76.2 |
| Inside Bed Length (Standard bed / Short bed)/ (Long Bed) | NA/ NA / 97.6 | 78.7/ NA / 97.6 | NA / 66.7 / NA | 78.7/ NA / 97.6 | 78.7/ NA / 97.6 | NA/ 66.7 / NA |
| Inside Bed Depth | 22.2 | 22.2 | 22.2 | 22.2 | 22.2 | 22.2 |
| Inside Bed Width: | | | | | | |
| Between Wheel wells | 66.4 | 66.4 | 66.4 | 66.4 | 66.4 | 66.4 |
| | 50.0 | 50.0 | 50.0 | 50.0 | 50.0 | 50.0 |
| Track (Front/Rear) | 67.9/67.9 | 67.9/67.9 | 67.9/67.9 | 67.9/67.9 | 67.9/67.9 | 67.9/67.9 |
| Ground Clearance | 10.2 (4.0L) 10.4 (5.7L) | SR and SR5 Long Bed) 10 3 (Limited/ SR and SR5 Long Bed) 10 (SR and | 10 0 (Limited) 10 2 (SR5) 10 1 (Platinum and 1794) | 10.6 | 10 4 (Limited) | Platinum) 10.6 (SR5) |
| Coefficient of Drag | 0.37 | 0.37 | 0.37 | 0.38 | 0.38 | 0.38 |
| Angle of Approach/ Departure (degrees) | 26/21 | 26/21 26/22 ^(4.0L V6) | 26/21 | 26/21. | 26/21 26/22 ^{(Long} | 26/22 ^(SR5) 26/21 (Limited/Platinum/1794). |

| INTERIOR DIMENSIONS | (inches) | | | | | |
|----------------------------|----------|-----------|-----------|------|-----------|-----------|
| Seating Capacity | 3 | *5,6 | *5,6 | 3 | *5,6 | *5,6 |
| Headroom (Front/Rear) | 39.7 | 39.7/38.7 | 39.7/38.9 | 39.7 | 39.7/38.7 | 39.7/38.9 |
| Legroom (Front/Rear) | 42.5 | 42.5/34.7 | 42.5/42.3 | 42.5 | 42.5/34.7 | 42.5/42.3 |
| Shoulder Room (Front/Rear) | 66.7 | 65.7/65.6 | 65.7/65.5 | 66.7 | 65.7/65.6 | 65.7/65.5 |
| Hip Room (Front/Rear) | 62.0 | 62.6/61.6 | 62.6/60.4 | 62.0 | 62.6/61.6 | 62.6/60.4 |

^{*5=} bucket seats 6 = bench seats



| WEIGHTS AND CAPACITIES (LBS.) | 4x2 | 4x2 | 4x2 | 4x4 | 4x4 | 4x4 |
|---|--------------------|----------------------------|------------------|-------------|---------------------|--|
| , , | Regular Cab N/A | Double Cab 5.010 | CrewMax N/A | Regular Cab | Double Cab | CrewMax |
| Curb Weight | N/A | 5.010 | IN/A | N/A | N/A | N/A |
| 4.0-liter V6 (6.5-ft. std. bed) | | | | | | |
| 4.0-liter V6 (8.1-ft. long bed) | 4,760 | NA | NA | NA | NA | NA |
| 4.6-liter V8 (5.5-ft.short bed) | NA | NA | 5,335 | NA | NA. | 5,625 |
| 4.6-liter V8 (6.5-ft. std bed) | 4,730 | 5,185 | NA | NA | 5,010 | NA |
| 4.6-liter V8 (8.1-ft. long bed) | NA | NA | NA | NA | NA | NA |
| 5.7-liter V8 (5.5-ft. short bed) | NA | NA | 5,480 | NA | NA | 5,860 (Platinum & 1794) |
| | | | | | | 5 850 ^{Limited)} 5 760 ^(SR5) |
| 5.7-liter V8 (6.5-ft. std bed) | NA | 5,320 | NA | NA | 5,625 (SR & SR5) | NA |
| | | 5 375 ^(Limited) | | | 5,675 (Limited) | |
| 5.7-liter V8 (8.1-ft. long bed) | 5,085 | 5,500 | NA | 5,340 | 5,755 | NA |
| GVWR | 6,400 - 7,000 | 6,400 - 7,000 | 6,800 - 7.000 | 7,200 | 6,900 - 7,200 | 7,000 - 7,200 |
| Payload | 1630 – 2,040 | 1,340 - 1,595 | 1,255 - 1,520 | 1,910 | 1,320 - 1,500 | 1,255 - 1,440 |
| Maximum V8 Towing Capacity* | 10,400 lbs. | 10,100 lbs. | 9,900 lbs. | 10,100 lbs. | 9,800 lbs. | 9,000 lbs. |
| Maximum V8 Tongue Weight | 1,040 lbs. | 1,010 lbs. | 990 lbs. | 1,010 lbs. | 980 lbs. | 900 lbs. |
| Gross Combined Weight Rating (4x2 & 4x4 with Tow Package) | 16,000 lbs. | 16,000 lbs. | 15,860 lbs. | 16,000 lbs. | 16,000 lbs. | 15,300 lbs. |
| Fuel Capacity | 26 | .4 gal. | | | | |
| Engine Oil | 6.3 | g qt. (4.0-liter) | | | | |
| | 9.8 | g qt. (4.6-liter) | | | | |
| | 9.8 | 3 qt. (5.7-liter) | | | | |
| Cooling System | 10. | .1 qt. (4.0-liter) | | | | |
| | 13 | .9 qt. (4.6-liter w | /Tow Package |) | | |
| | 12 | .9 qt. (4.6-liter w | √o Tow Packaç | ge) | | |
| | 13 | .9 qt. (5.7-liter w | / Tow Package | e) | | |
| | 12 | .8 qt. (5.7 liter w | /o Tow packag | je | | |

^{*} Per SAE J2807 Methodology



Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

S = Standard equipment O = Standalone option
P = Available via applicable packages --- = not available
S¹ = Standard on 4X4 Only
S² = Standard on 4x4 only and part of package on 4x2

| EXTERIOR FEATURES | SR Regular | SR Double | SR5 Double | Limited Double | SR5 CrewMax | Limited CrewMax | Platinum CrewMax | 1794 Edition CrewMax |
|--|---------------|--------------|---------------|-------------------|----------------|--------------------|---------------------|----------------------------|
| Multi-reflector halogen headlights with manual headlamp level control | S | S | S | S | S | S | S | S |
| Daytime Running Lights (DRL) | S | S | S | S | S | S | S | S |
| LED Daytime Running Lights (DRL) | | | | | | | S | S |
| Fog lights | | | S | S | S | S | S | S |
| Matte black lower front bumper and matte black grill surround and inserts | S | S | | | | | | |
| Matte black lower front bumper with chrome end caps and matte black grille with chrome grille surround | | | S | | S | | | |
| Matte black lower front bumper with chrome end caps and silver billet grille with chrome grille surround | | | | S | | S | | |
| Color-keyed front bumper and silver billet grille with color-keyed grille surround | | | | | | | S | |
| Silver lower front bumper with chrome end caps and silver grille with chrome grille surround | | | | | | | | S |
| Blind Spot Monitor | | | | | | 0 | 0 | 0 |
| Chrome rear bumper with chrome end caps | | | S | S | S | S | | S |
| Color keyed rear bumper | | | | | | | S | |
| Black rear bumper | S | S | | | | | | |
| Deck Rail System with four adjustable tie- down cleats | 0 | 0 | 0 | S | 0 | S | S | S |
| Deck rail and tailgate end caps | S | S | S | S | S | S | S | S |
| Black heated, power, outside mirrors | S | S | S | | S | | | |
| Chrome heated power outside mirrors | | | | S | | S | | |
| Chrome, heated, power and auto-dimming outside mirrors with turn signal indicators, and power-folding and memory feature | | | | | | | S | S |
| Heated, power, outside tow mirrors with turn signal indicators and manual-extend and folding feature | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Power tilt/slide moonroof with sliding sunshade (Deletes overhead console with storage area) | | | | - | | 0 | S | Ø |
| 18-inch styled steel wheels with P255/70R18 Michelin tires | S | S | S | | S | | | |
| 18-inch 5-spoke alloy wheels with P275/65R18 Michelin tires | | | 0 | | 0 | | | |
| 18-inch 5-spoke TRD Off-Road Package alloy wheels with P275/65R18 Michelin tires | | | Р | Р | Р | Р | | |
| 20-inch Limited Grade wheel with P275/55R20 Bridgestone/Dunlop tires | | | | S | | S | | |
| 20-inch Platinum Grade wheel with P275/55R20 Bridgestone/Dunlop tires | | | | | | | S | S |



| EXTERIOR FEATURES CONT. | SR Regular | SR Double | SR5 Double | Limited Double | SR5 CrewMax | Limited CrewMax | Platinum CrewMax | 1794 Edition Crewmax |
|---|----------------|----------------|----------------|-------------------|----------------|--------------------|---------------------|----------------------------|
| | | _ | | | | | | |
| 20-inch Chrome Clad wheels with P275/55R20 Bridgestone/Dunlop tires | | | | | | | | 0 |
| Two-speed windshield wipers | S | S | | | | | | |
| Variable intermittent windshield wipers (not available with Work Truck Package) | | | S | S | S | S | S | S |
| Windshield wiper de-icer | S | S | S | S | S | S | S | S |
| High Solar Energy-Absorbing (HSEA) glass | S | S | S | S | S | S | S | S |
| Easy lower and lift tailgate | S | S | S | S | S | S | S | S |
| Running boards | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Front and rear mudguards | S | S | S | S | S | S | S | S |
| Front tow hooks | S ¹ | S ¹ | S ² | S ² | S ² | S ² | S ¹ | S ¹ |

S = Standard equipment O = Standalone option

| INTERIOR FEATURES | SR Regular | SR Double | SR5 Double | Limited Double | SR5 CrewMax | Limited CrewMax | Platinum CrewMax | 1794 Edition Crewmax |
|--|---------------|--------------|---------------|-------------------|----------------|--------------------|---------------------|----------------------------|
| Single zone air conditioning with single temperature setting for driver and front passenger | S | S | S | | S | | | |
| Dual zone automatic climate control with individual temperature settings for driver and front passenger | | | | S | | s | S | S |
| Vinyl 40/20/40 split fold-down front bench seat; 4-way adjustable driver's seat; 4-way adjustable front passenger bench seat | Р | Р | | | | | | |
| Fabric-trimmed 40/20/40 split fold-down front bench seat; 8-way adjustable (4-way in Regular Cab) driver's seat; 4-way adjustable front passenger bench seats | S | S | S | | S | | | |
| Fabric-trimmed front bucket seats; 8-way power-adjustable driver's seat with power lumbar support; 4-way adjustable front passenger seat | | | Р | | Р | | | |
| Leather-trimmed and heated front bucket seats; 10-way power-adjustable driver's seat with power thigh and lumbar support; 4-way power-adjustable front passenger seat with power lumbar support | | | | S | | S | | |
| Perforated, diamond pleated premium leather, heated and ventilated front bucket seats, 10-way power-adjustable driver's seat with 2-position memory function and power thigh and lumbar support; 4-way power-adjustable front passenger seat with power lumbar support | | | | | | | S | |
| Perforated, premium leather and ultrasuede - trimmed, heated and ventilated front bucket seats, 10-way power-adjustable driver's seat with 2-position memory function and power thigh and lumbar support; 4-way power- adjustable front passenger seat with power lumbar support | | | | | | | | S |
| Vinyl 60/40 split, fold-up, rear seats | Р | Р | | | | | | |
| Fabric-trimmed 60/40 split, fold-up, rear seats | S | S | | | | | | |
| Leather-trimmed 60/40 split, fold-up, rear seats | | | | S | | S | | |



| INTERIOR FEATURES- CONT'D. | SR Regular | SR Double | SR5 Double | Limited Double | SR5 CrewMax | Limited CrewMax | Platinum CrewMax | 1794 Edition Crewmax |
|---|---------------|--------------|---------------|-------------------|----------------|--------------------|---------------------|----------------------------|
| Perforated, premium leather-trimmed 60/40 split, fold-up rear seats | | | | | | | S | S |
| Heavy-duty all-weather flooring | Р | Р | | | | | | |
| Carpet flooring | S | S | S | S | S | S | S | S |
| Cruise control | S | S | S | S | S | S | S | S |
| Urethane tilt 4-spoke steering wheel with column shifter | S | S | | | | | | |
| Urethane tilt 4-spoke steering wheel and center console gated shift lever (front bucket seat only) | | | S | | S | | | |
| Leather-trimmed tilt/telescopic 4-spoke steering wheel with audio, Bluetooth® hands- free phone controls, and center console with gated shift lever | | | | S | | S | | |
| Leather-trimmed tilt/telescopic 4-spoke steering wheel (with wood-grain-style accents – 1794 only), memory function and audio, Bluetooth® hands-free phone controls, and center console gated shift lever | | | | | | | S | S |
| Analog instrumentation with color-illuminated speedometer, coolant temperature and fuel gauges; 2.2" LCD display with odometer and trip meters; shift-position indicator | S | S | | | | | | |
| Analog instrumentation with color-illuminated speedometer, tachometer, voltmeter, coolant temperature, fuel, and engine oil pressure gauges; 3.5" color multi-information display with odometer and trip meters; shift-position indicator | | | S | S | S | S | S | S |
| Power windows with driver-side one-touch auto down, power door locks with shift-linked automatic lock/unlock feature and remote keyless entry system with lock, unlock and panic functions (not available with Work Truck Package) | S | S | S | S | S | S | | |
| Power windows with driver and front passenger one-touch auto up/down, power door locks with shift-linked automatic lock/unlock feature and programmable auto door lock logic, and remote keyless entry system with lock, unlock and panic functions | | | | Р | | Р | S | S |
| Manual sliding rear window with privacy glass | | | S | | | | | |
| Power horizontal sliding rear window with privacy glass | | | | S | | | | |
| Power vertical sliding rear window with defogger and privacy glass | | | | | S | S | S | S |
| Auto-dimming rearview mirror with compass, and HomeLink® universal transceiver | | | | S | | S | S | S |
| Overhead console with sunglass storage | | | | | S | S | S | S |
| Rear under-seat storage compartment | | | 0 | | | | | |
| Two front 12V auxiliary power outlets (additional rear 12V auxiliary power outlet on Double Cab and CrewMax) | S | S | S | S | S | S | S | S |
| Front maplight (additional rear maplight on Double Cab and CrewMax) | | S | S | S | S | S | S | S |



Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

| INTERIOR FEATURES- CONT'D. | SR Regular | SR Double | SR5 Double | Limited Double | SR5 CrewMax | Limited CrewMax | Platinum CrewMax | 1794 Edition Crewmax |
|---|---------------|--------------|---------------|-------------------|----------------|--------------------|---------------------|----------------------------|
| | | | | | | | | |
| Two front cup holders | S | | | | | | | |
| Two front and two rear cup holders, two front and two rear bottle holders | | S | S | S | | | | |
| Four front and two rear cup holders, four front and two rear bottle holders (three front cup holders on Limited, Platinum, and 1794 Edition)) | | | | | S | S | S | S |

S = Standard equipment O = Standalone option --- = Not available

| ENTUNE AUDIO | SR Regular | SR Double | SR5 Double | Limited Double | SR5 CrewMax | Limited CrewMax | Platinum CrewMax | 1794 Edition Crewmax |
|--------------|---------------|--------------|---------------|-------------------|----------------|--------------------|---------------------|----------------------------|
|--------------|---------------|--------------|---------------|-------------------|----------------|--------------------|---------------------|----------------------------|

Entune Multimedia bundle includes AM/FM CD Player with MP3/WMA playback capability, touchscreen display, aux jack, USB 2.0 port with increased charging capability and iPod® connectivity and control, hands-free phone capability, phone book access and music streaming via Bluetooth wireless technology, and voice recognition (integrated backup camera vehicle dependent). The Entune App Suite includes Bing™, iHeartRadio, MovieTickets.com, Open Table®, Pandora®, Yelp and Facebook Places (on CY13 audio only); real-time info including traffic, weather, fuel prices, sports, and stocks.

| Entune Audio – Includes Entune multimedia bundle with AM/FM CD player with MP3/WMA capability, 6.1" touch-screen display, aux jack, USB 2.0 port with increased charging capability, iPod connectivity and control and hands-free phone capability, phone book access, voice recognition and music streaming via Bluetooth wireless technology | S | S | | | | | | |
|--|---|---|---|---|---|---|---|---|
| Entune Audio Plus – includes the Entune multimedia bundle with Hi-Res 7.0" touchscreen display, HD Radio with iTunes tagging and HD Traffic and Weather (metro areas only), SiriusXM Radio with 90-day trial | | | S | | S | | | |
| Entune Premium Audio with Navigation and App Suite – includes Entune Audio Plus with Navigation and Entune App Suite | | | 0 | S | 0 | S | | |
| Entune Premium JBL Audio with Navigation and App Suite – includes Entune Premium Audio with JBL® speakers and amplifier | | | | | | 0 | S | s |



Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

S = Standard equipment O = Standalone option --- = Not available

| SAFETY AND SECURITY | SR Regular | SR Double | SR5 Double | Limited Double | SR5 CrewMax | Limited CrewMax | Platinum CrewMax | 1794 Edition Crewmax |
|--|---------------|--------------|---------------|-------------------|----------------|--------------------|---------------------|----------------------------|
| Star Safety SystemTM — includes Vehicle Stability Control (VSC), Traction Control (TRAC), Anti-lock Brake System (ABS) with Electronic Brake-force Distribution (EBD), Brake Assist (BA) and Smart Stop Technology (SST). At speeds greater than five miles per hour, when the accelerator is depressed first and the brakes are then applied firmly for longer than one-half second, Smart Stop Technology is designed to help the driver bring the vehicle to a complete stop. | S | S | S | S | S | S | S | S |
| Driver and front outboard passenger Advanced Airbag System | S | S | S | s | S | S | s | s |
| Driver and front outboard passenger seat- mounted side airbags, driver and front passenger knee airbags and front and rear Roll-sensing Side Curtain Airbags (RSCA) | S | S | S | S | S | S | S | S |
| 3-point seatbelts for all seating positions; driver-side Emergency Locking Retractor (ELR) and Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts | S | S | S | S | S | S | S | S |
| Driver and front passenger seatbelt pretensioners with force limiters | S | S | S | S | S | S | S | S |
| LATCH (Lower Anchors and Tethers for CHildren) includes lower anchors on outboard front passenger seat and tether anchor on center seat (Regular Cab only) | S | | | | | | | |
| LATCH (Lower Anchors and Tethers for Children) includes lower anchors on outboard rear seats and tether anchor on rear center seat (Double Cab and CrewMax only) | | S | S | S | S | S | S | S |
| Child protector rear door locks (Double Cab and CrewMax only) | | S | S | S | S | S | S | S |
| Tire Pressure Monitor System (TPMS) | S | S | S | S | S | S | S | S |
| Front and rear parking assist sonar | | | | Р | | Р | S | S |
| Trailer-Sway Control | S | S | S | S | S | S | S | S |
| Anti-theft system and engine immobilizer | S | S | S | | S | | | |
| Anti-theft system with alarm and engine immobilizer | | | | S | | S | | |
| Anti-theft system with alarm, glass breakage sensor, and engine immobilizer | | | | 0 | | 0 | S | S |



Note: All specs are for both 4x2 and 4x4 unless otherwise noted.

S = Standard equipment O = Standalone option O^1 = Optional on 4.6L V8 Only O^2 = Not available on Regular Cab and Double Cab

O³ = Not available on 4.6L V8 and 4.0L V6

| STAND ALONE OPTIONS | SR Regular | SR Double | SR5 Double | Limited Double | SR5 CrewMax | Limited CrewMax | Platinum CrewMax | 1794 Crewmax |
|--|----------------|----------------|----------------|-------------------|----------------|--------------------|---------------------|-----------------|
| 18-in. 5-spoke alloy wheels with P275/65R18 tires | | | 0 | | 0 | | | |
| 20-in. chrome clad wheel with P275/55R20 tires | | | | | | | | 0 |
| Blind Spot Monitor with Rear Cross Traffic Alert | | | | | | 0 | 0 | 0 |
| Tow Hitch | | O ¹ | O ¹ | | O ¹ | | | |
| Deck Rail System with four adjustable tie-down cleats | O ² | O ² | O ² | S | O ² | S | S | S |
| Heated power outside tow mirrors with turn signal indicators and manual-extend feature | O^3 | O ³ | O ³ | 0 | O ³ | 0 | 0 | 0 |
| Running boards | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Power tilt/slide moonroof with sliding sunshade | | | | | | 0 | S | S |

O = Standalone option

| PACKAGES | SR Regular | SR Double | SR5 Double | Limited Double | SR5 CrewMax | Limited CrewMax | Platinum CrewMax | 1794 Crewmax |
|---|---------------|--------------|---------------|-------------------|----------------|--------------------|---------------------|-----------------|
| TRD OFF-ROAD PACKAGE Includes Bilstien shock absorbers, 18" TRD Off-Road alloy wheels, rear side privacy glass, engine skid plate, fuel tank skid plate, front tow hooks on 4x2, and decal | | | 0 | 0 | 0 | 0 | | |
| SR5 UPGRADE PACKAGE – Includes front bucket seats with power driver seat with power lumbar support, floor mounted urethane shift lever and knob, tilt and telescopic urethane steering wheel, 3 front cup holders, front console box, and alarm | | | 0 | | 0 | | | |
| LIMITED PREMIUM PACKAGE – Includes power windows with driver and front passenger auto up and down; room, foot, and ignition key illuminated entry system; glass breakage sensor; front and rear parking sonar | | | | 0 | | 0 | | |
| WORK TRUCK PACKAGE – Deletes speed and shift sensing power door locks, wireless door lock, power windows, front map lamps, and passenger seat back pocket. Adds vinyl flooring and vinyl seating | 0 | 0 | | | | | | |

BASIC LIMITED WARRANTY COVERAGE

- 3-year/36,000-mile Comprehensive •
- 5-year/60,000-mile Powertrain •
- 5-year/unlimited-mileage Corrosion Perforation
- Toyota Care Complimentary maintenance plan with the purchase or lease of every new Toyota. For 2 years or 25,000 miles, whichever comes first, every new Toyota will be covered for all normal factory scheduled service, as well as 24/7 roadside assistance.