
2020 Supra Product Information

May 12, 2019



Engine	
Туре	3.0-liter, inline 6-cyl

Valve train	24-Valve DOHC, cha
	and Lift
Displacement	2998cc
Bore x Stroke	82 x 94.6 mm
Compression Ratio	11:1
Horsepower	335 hp @ 5,000-6,500
Torque	365 lb-ft @ 1,600-4,5
Fuel System	Direct Injection
Required Fuel	Premium Fuel
Emission Certification	ULEV
EPA Estimated Fuel Economy*	24/31/26 (city, highw

*2019 EPA estimated MPG – Acti	ual mileage will vary.		
DRIVETRAIN			
Transmission Type	8-speed automatic transm	ission	
Gear Ratios	T T T T T T T T T T T T T T T T T T T		
1st	5.250		
2nd	3.360		
	2.172		
4th	1.720		
5th	1.316		
$6^{ ext{th}}$	1.000		
7th	0.822		
8th	0.640		
Reverse	3.712		
Final Drive Ratio	3.154		
Chassis and Body			
Suspension – Front	Double-joint type MacPherson strut		
– Rear	Multi-link with a five-arm construction	on	
Stabilizer Bar – Diameter	23.5 mm/18.0 mm (front/rear)		
Steering – Type	Electric Power Steering (EPS)		
– Overall Ratio	15.1		
 Turning Circle Diameter 	34.1 ft. (tires) Ventilated disc brake with Brembo® 4-piston fixed caliper 13.7 in. Brembo® w/ four-piston caliper		
Brakes – Front Type			
Front Diameter			
– Rear Type	Ventilated disc brake with single piston floating caliper		
– Rear Diameter	13.6 in. or 13.0 in.		
– Parking	EPB (Electric Parking Brake)		
777 1 C'	Front: 19 x 9.0 in.		
Wheel Size	Rear: 19 x 10.0 in.		
Wheel Type and Material	Forged aluminum		
Time Sine	Front: 255/35R19 96Y		
Tire Size	Rear: 275/35R19 100Y		
Tire Type	Michelin Pilot Super Sport		
Spare Tire/Wheel	Puncture repair kit		
Exterior Dimensions			
Wheelbase		97.2 in.	
Overall Length		172.5 in.	
Overall Width		73.0 in.	
Overall Height		50.9 in.	
Tread Width, Front/Rear		62.8/62.6 in.	
Ground Clearance		4.5 in.	